

The History of the Cluster Heat Map

Leland Wilkinson and Michael Friendly
(to appear in *The American Statistician*)

November 18, 2008

Abstract

The cluster heat map is an ingenious display that simultaneously reveals row and column hierarchical cluster structure in a data matrix. It consists of a rectangular tiling with each tile shaded on a color scale to represent the value of the corresponding element of the data matrix. The rows (columns) of the tiling are ordered such that similar rows (columns) are near each other. On the vertical and horizontal margins of the tiling there are hierarchical cluster trees. This cluster heat map is a synthesis of several different graphic displays developed by statisticians over more than a century. We locate the earliest sources of this display in late 19th century publications. And we trace a diverse 20th century statistical literature that provided a foundation for this most widely used of all bioinformatics displays.

1 Introduction

The cluster heat map is a rectangular tiling of a data matrix with cluster trees appended to its margins. Within a relatively compact display area, it facilitates inspection of row, column, and joint cluster structure. Moderately large data matrices (several thousand rows/columns) can be displayed effectively on a high-resolution color monitor and even larger matrices can be handled in print or in megapixel displays.

The cluster heat map is well-known in the natural sciences and one of the most widely used graphs in the biological sciences. As Weinstein (2008) mentions:

For visualization, by far the most popular graphical representation has been the clustered heat map, which compacts large amounts of information into a small space to bring out coherent patterns in the data. ... Since their debut over 10 years ago, clustered heat maps have appeared in well over 4000 biological or biomedical publications.

Weinstein describes the heat map as follows:

In the case of gene expression data, the color assigned to a point in the heat map grid indicates how much of a particular RNA or protein is expressed in a given sample. The gene expression level is generally indicated by red for high expression and either green or blue for low expression. Coherent patterns (patches) of color are generated by hierarchical clustering on both horizontal and vertical axes to bring like together with like. Cluster relationships are indicated by tree-like structures adjacent to the heat map, and the patches of color may indicate functional relationships among genes and samples.

Figure 1 shows a typical heat map as described by Weinstein. The most popular bioinformatics software for producing this graphic is documented in Eisen et al. (1998). The Eisen paper, which describes a cluster heat map program, was the third most cited article in *PNAS* as of July 1, 2008 (*PNAS* 2008).

The “debut” Weinstein refers to is possibly a debut in the biology literature, but it certainly is not a debut in the statistical literature. The components of this display have a long history in statistical graphics. The biological references give little indication of the background for the underlying ideas required to construct a heat map. In this article, we trace the lineage of the heat map and show what elements were ultimately integrated in the display that biologists finally adopted.




Figure 1: Cluster heat map from Andrade (2008), based on Eisen et al. (1998). The aspect ratio has been adjusted to make the pixels square. The rows (or columns) of a microarray heat map represent genes and the columns (or rows) represent samples. Each cell is colored based on the level of expression of that gene in that sample.




Figure 2: Shaded matrix display from Loua (1873). This was designed as a summary of 40 separate maps of Paris, showing the characteristics (national origin, professions, age, social classes, etc.) of 20 districts, using a color scale that ranged from white (low) through yellow and blue to red (high). A monochrome version can be found at <http://www.math.yorku.ca/SCS/Gallery/images/loua1873-scalogram.jpg>.

2 The Past

To elucidate the history of this display, we will present each of the components that underly the design of the cluster heat map. Some are quite old, some relatively recent.

2.1 Shading Matrices

The heart of the heat map is a color-shaded matrix display. Shaded matrix displays are well over a century old. Figure 2 shows an example from Loua (1873). This graphic summarizes various social statistics across the *arrondissements* of Paris. Like the other graphics in the book, it was hand drawn and colored.

Shading a table or matrix is a longstanding device for highlighting entries, rows, or columns. Accountants, graphics designers, computer engineers, and others have used this method for years. The most common recent application involves the use of color to shade rows, columns, or cells of a spreadsheet.

2.2 Permuting Matrices

The cluster heat map does more than shade. It permutes the rows and columns of a matrix to reveal structure. Matrix permutation has a long history as well. Like the idea of shading, sorting a matrix or table to reveal structure is over a century old. Figure 3 shows a sorted matrix of educational data from Brinton (1914). Figure 4 shows an example from Bertin (1967). Jacques Bertin devoted a chapter to illustrating the usefulness of what he called the *reorderable matrix*. His examples were sorted by hand.

2.2.1 Seriation

It was an anthropologist who developed one of the first models for ordering a data matrix. Petrie (1899) sought to rearrange the rows and columns of a rectangular matrix of measurements on anthropological artifacts so that the largest values would be near the main diagonal. His immediate goal was to use attributes (columns) to serialize artifacts (rows) in order to recover a temporal ordering on the artifacts. His goal had implications well beyond his subject matter. Petrie had identified the Toeplitz structure implicit in the ordering of a data matrix based on time (or some other dimension). His article generated a large literature




Fig. 33. Rank of States in Each of Ten Educational Features, 1910. White Indicates that the State Ranks in the Highest 12 of the 48, Light Shading that it Ranks in Second 12, Dark Shading that it Ranks in Third 12, and Black that it Ranks in Lowest 12

Figure 3: Sorted shaded display from Brinton (1914). The data are ranks of US states on each of 10 educational features assessed in 1910. The matrix has been sorted by the row-marginal ranks.




Figure 4: Permuted matrix display from Bertin (1967). This figure was devised to illustrate the possibility of sorting a matrix to reveal block-diagonal structure.




Figure 5: Sorted shaded display from Czekanowski (1909), reproduced in Hage and Harary (1995)

over more than a century on a topic variously called *seriation* or *matrix reordering* (Robinson 1951; Kendall 1963; McCormick et al. 1972; Hubert 1974, 1976; Lenstra 1974; Friendly 2002; Friendly and Kwan 2003; Climer and Zhang 2006).

Ten years after Petrie’s paper, Jan Czekanowski developed a seriation method and used a shaded diagram to represent block-diagonal data structures. Figure 5 shows a sorted matrix of educational data from Czekanowski (1909). Czekanowski’s display, except for the lack of coloring and appended cluster trees, is similar to the output of contemporary computer matrix reordering programs (Liiv 2008).

2.2.2 The Guttman Scalogram

Fifty years after Petrie, Louis Guttman introduced a matrix permutation to reveal a different one-dimensional structure. The Guttman Scalogram (Guttman 1950) was a direct method for fitting a deterministic model (a total order that Guttman called a Simplex) to a binary matrix. In Guttman’s method, a rectangular binary matrix was permuted by hand (using paper or a tabulating machine) to approximate a unidimensional scale: below the quasi-diagonal were to be as many 1’s as possible and above the quasi-diagonal, as many 0’s as possible. A matrix with this structure was said to be *scalable*, implying an ordering of the rows and columns.

The Scalogram found wide application in the following decades, particularly in the social sciences. Figure 6 shows an example from Rondinelli (1980). Computer programs eventually automated this scaling (Nie et al. 1970; Wilkinson 1979). Others eventually developed interactive visual analytics programs to allow users to explore their own permutations (Siirtola and Mäkinen 2005). And statisticians developed stochastic generalizations of Guttman’s model that allowed this permutation to be applied more widely (Goodman 1975; Andrich 1978).

2.2.3 Hierarchical Clustering

Not long after Guttman’s Scalogram became popular, cluster analysts took an interest in representing clusters by shading association (similarity/dissimilarity) matrices. Sneath (1957) was perhaps the earliest advocate for this graphic.

Ling (1973) introduced a computer program, called SHADE, for implementing Sneath’s idea. Ling’s program used overstrikes on a character printer to represent different degrees of shading. Gower and Digby (1981) implemented Ling’s display on a dot matrix printer. Figure 7 shows an example from their chapter.

2.2.4 Two-way Clustering

Shortly after Ling’s paper, Hartigan (1974) introduced a block clustering program with direct display of a rectangular data matrix. The theory behind this program was discussed in Hartigan (1975). Motivated by




Figure 6: Scalogram display from Rondinelli (1980), based on Guttman (1950). This manually-sorted scalogram summarizes facilities statistics (high school, rural bank, auto repair shop, drugstore...) for settlements in the Bicol River Basin, Philippines.




Figure 7: Permutated cluster display from Gower and Digby (1981), following Ling (1973). This display was designed to represent a symmetric similarity/dissimilarity matrix.




Figure 8: Permutated cluster display framework from Gower and Digby (1981). This is a template for a row/column clustering of a rectangular data matrix. By treating the data as a lower-corner matrix of a square super-matrix, the display reveals both row and column structure.

Hartigan’s work, Wilkinson (1984) implemented a two-way hierarchical clustering routine on a rectangular data matrix, using Ling’s shading method for the display.

2.2.5 Seriating a Binary Tree

For a binary tree with n leaves, there are 2^{n-1} possible linear orderings of the leaves in a planar layout of the tree. Hierarchical clustering algorithms do not determine a particular layout. Therefore, we need an additional algorithm to seriate the rows/columns of a clustered matrix. Gruvaeus and Wainer (1972) developed a greedy algorithm that Wilkinson used in the SYSTAT display. Gale et al. (1984) devised an alternative algorithm for this purpose. More recent papers discuss this problem in detail and specify optimization algorithms with objective functions designed for the task (Wishart 1997; Bar-joseph et al. 2003; Morris et al. 2003). A desirable aspect of these algorithms is that they yield a total order when it exists (e.g., when the association matrix has Toeplitz form).

2.3 Appending Trees

There remains the issue of appending cluster trees to the rectangular data matrix. We have seen examples that append a clustering tree to an association matrix. Gower and Digby (1981) took the next step and appended cluster trees to both row and column association matrices. Figure 8 shows their template. Their layout is in some ways superior to the modern microarray heat map, because it simultaneously displays the row and column similarities/dissimilarities on which the clustering is based. Chen (2002) and others adopted this design.

It is a short step from this design to the layout chosen by the biologists. The first published heat map in this form appeared in Wilkinson (1994). Figure 9 shows a color version of that figure from the SYSTAT manual. By the time Eisen et al. (1998) appeared, there were tens of thousands of copies of SYSTAT circulating in the scientific community.

3 The Future

Weinstein (2008) finds constructing cluster heat maps a “surprisingly subtle process.” His description of these subtleties would not surprise a statistician. Those familiar with the cluster literature know that there

Permuted Data Matrix




Figure 9: Cluster heat map from Wilkinson (1994). The data are social statistics (urbanization, literacy, life expectancy for females, GDP, health expenditures, educational expenditures, military expenditures, death rate, infant mortality, birth rate, and ratio of birth to death rate) from a UN survey of world countries. The variables were standardized before the hierarchical clustering was performed.

are issues regarding the choice of a distance measure (Euclidean, weighted Euclidean, City Block, etc.) and the choice of linkage method (single, complete, average, centroid, Ward, etc.). Kettenring (2006) discusses these issues in practice. In addition, Weinstein mentions the problem of ordering the leaves of the clustering tree, suggesting that “some objective (but, to a degree, arbitrary) rule must be invoked to decide which way each branch will, in fact, swing.” As we have mentioned, this is not an arbitrary objective; it is a well-defined seriation problem.

Modern statistical packages implement the heat map display as part of a clustering package (e.g., JMP and SYSTAT) or they make it easy to plot a heat map using any seriation algorithm (e.g., R and Stata). By doing so, all the options available for clustering or other analytics are renderable in a heat map. This flexible architecture underscores the fact that a heat map is a visual reflection of a statistical model. It is not an arbitrary ordering of row and column cluster trees.

In general, a matrix heat map can be considered to be a display whose rows and columns have been permuted through an algorithm. Many of the recent references cited in this article mention an explicit objective function for evaluating the resulting permutation. A popular seriation loss function is the sum of distances between adjacent rows and columns. We can minimize this function directly on a given dataset or use it to evaluate the goodness of a particular heuristic seriation.

Alternatively, we can sample values from known bivariate distributions, randomize rows and columns in the sampled data matrix, and compare the solutions from different seriation algorithms. Wilkinson (2005) generated rectangular matrices whose row and column covariances were determined by five different covariance structures: Toeplitz, Band, Circular, Equicovariance, and Block diagonal. He then randomly permuted rows and columns before applying several different seriation algorithms, including clustering, MDS, and SVD. Overall, SVD recovered the original ordering better than any other method used on all five types of matrices.

These findings suggest that a simple SVD may be the best general seriation method and that cluster methods should be restricted to those datasets where a cluster model is appropriate. If SVD is chosen, then one should consider recent robust methods for this decomposition (Liu et al. 2003). For microarray data, it is still an open question whether hierarchical-clustering-based seriation is more useful than other approaches, despite the popularity of this method.

4 Conclusion

The cluster heat map did not originate *ex nihilo*. It came out of a relatively long history of matrix displays, before and after the computer era. As with many graphical methods, the cluster heat map involved a creative synthesis of different graphical representations devised by a number of statisticians.

References

- Andrade, M. (2008), “Heatmap,” <http://en.wikipedia.org/>.
- Andrich, D. (1978), “A rating formulation for ordered response categories,” *Psychometrika*, 43, 357–74.
- Bar-joseph, Z., Demaine, E. D., Gifford, D. K., Hamel, A. M., Jaakkola, T. S., and Srebro, N. (2003), “K-ary clustering with optimal leaf ordering for gene expression data,” *Bioinformatics*, 19, 506–520.
- Bertin, J. (1967), *Sèmiologie Graphique*, Paris: Editions GauthierVillars.
- Brinton, W. C. (1914), *Graphic Methods for Presenting Facts*, New York: The Engineering Magazine Company.
- Chen, C. H. (2002), “Generalized Association Plots: Information Visualization via Iteratively Generated Correlation Matrices,” *Statistica Sinica*, 12, 7–29.
- Climer, S. and Zhang, W. (2006), “Rearrangement Clustering: Pitfalls, Remedies, and Applications,” *Journal of Machine Learning Research*, 7, 919–943.
- Czekanowski, J. (1909), “Zur differentialdiagnose der Neandertalgruppe,” *Korrespondenzblatt der Deutschen Gesellschaft für Anthropologie, Ethnologie und Urgeschichte*, 40, 44–47.
- Eisen, M., Spellman, P., Brown, P., and Botstein, D. (1998), “Cluster analysis and display of genome-wide expression patterns,” *Proceedings of the National Academy of Sciences*, 95, 14863–14868.
- Friendly, M. (2002), “Corrgrams: Exploratory Displays for Correlation Matrices,” *The American Statistician*, 56, 316–324.
- Friendly, M. and Kwan, E. (2003), “Effect ordering for data displays,” *Computational Statistics & Data Analysis*, 43, 509–539.
- Gale, N., Halperin, W., and Costanzo, C. (1984), “Unclassed matrix shading and optimal ordering in hierarchical cluster analysis,” *Journal of Classification*, 1, 75–92.
- Goodman, L. (1975), “A new model for scaling response patterns: An application of the quasi-independence concept,” *Journal of the American Statistical Association*, 70, 755–768.
- Gower, J. and Digby, P. (1981), “Expressing complex relationships in two dimensions,” in *Interpreting Multivariate Data*, ed. Barnett, V., Chichester, UK: John Wiley & Sons, pp. 83–118.
- Gruvaeus, G. and Wainer, H. (1972), “Two additions to hierarchical cluster analysis,” *British Journal of Mathematical and Statistical Psychology*, 25, 200–206.
- Guttman, L. (1950), “The basis for scalogram analysis,” in *Measurement and Prediction. The American Soldier*, ed. et al., S. S., New York: John Wiley & Sons, vol. IV.
- Hage, P. and Harary, F. (1995), “Close-Proximity Analysis: Another Variation on the Minimum-Spanning-Tree Problem,” *Current Anthropology*, 36, 677–683.
- Hartigan, J. (1974), “BMDP3M: Block Clustering,” in *BMDP Biomedical Computer Programs*, ed. Dixon, W., Berkeley, CA: University of California Press.
- (1975), *Clustering Algorithms*, New York: John Wiley & Sons.
- Hubert, L. (1974), “Some applications of graph theory and related non-metric techniques to problems of approximate seriation: The case for symmetric proximity measures,” *The British Journal of Mathematical and Statistical Psychology*, 27, 133–153.

- (1976), “Seriation using asymmetric proximity measures,” *The British Journal of Mathematical and Statistical Psychology*, 29, 32–52.
- Kendall, D. (1963), “A statistical approach to Flinders Petries sequence dating,” *Bulletin of the International Statistical Institute*, 40, 657–680.
- Kettenring, J. (2006), “The Practice of Cluster Analysis,” *Journal of Classification*, 23, 3–30.
- Lenstra, J. (1974), “Clustering a data array and the Traveling Salesman Problem,” *Operations Research*, 22, 413–414.
- Liiv, I. (2008), “Pattern discovery using seriation and matrix reordering: A unified view,” Ph.D. thesis, Tallinn University of Technology, Department of Informatics, Tallinn, Estonia.
- Ling, R. (1973), “A computer generated aid for cluster analysis,” *Communications of the ACM*, 16, 355–361.
- Liu, L., Hawkins, D., Ghosh, S., and Young, S. (2003), “Robust singular value decomposition analysis of microarray data,” *Proceedings of the National Academy of Sciences*, 100, 13167–13172.
- Loua, T. (1873), *Atlas statistique de la population de Paris*, Paris: J. Dejeu.
- McCormick, W. T., Schweitzer, P. J., and White, T. W. (1972), “Problem decomposition and data reorganization by a clustering technique,” *Operations Research*, 20, 993–1009.
- Morris, S. A., Asnake, B., and Yen, G. G. (2003), “Dendrogram seriation using simulated annealing,” *Information Visualization*, 2, 95–104.
- Nie, N. H., Bent, D. H., and Hull, C. H. (1970), *SPSS: Statistical Package for the Social Sciences*, New York, NY: McGraw-Hill Book Company.
- Petrie, W. (1899), “Sequences in Prehistoric Remains,” *The Journal of the Anthropological Institute of Great Britain and Ireland*, 29, 295–301.
- PNAS (2008), “Most-Cited Articles as of July 1, 2008 – updated monthly,” <http://www.pnas.org/reports/most-cited>.
- Robinson, W. (1951), “A method for chronologically ordering archaeological deposits,” *American Antiquity*, 16, 293–301.
- Rondinelli, D. A. (1980), *Spatial analysis for regional development*, Tokyo, Japan: The United Nations University.
- Siirtola, H. and Mäkinen, E. (2005), “Constructing and reconstructing the reorderable matrix,” *Information Visualization*, 4, 32–48.
- Sneath, P. (1957), “The application of computers to taxonomy,” *Journal of General Microbiology*, 17, 201–226.
- Weinstein, J. (2008), “A Postgenomic Visual Icon,” *Science*, 319, 1772–1773.
- Wilkinson, L. (1979), “Permuting a matrix to a simple pattern,” in *Proceedings of the Statistical Computing Section of the American Statistical Association*, Washington, DC: The American Statistical Association, pp. 409–412.
- (1984), *SYSTAT, Version 2*, Evanston, IL: SYSTAT Inc.
- (1994), *SYSTAT for DOS: Advanced Applications, Version 6*, Evanston, IL: SYSTAT Inc.
- (2005), *The Grammar of Graphics*, New York: Springer-Verlag, 2nd ed.
- Wishart, D. (1997), “ClustanGraphics: Interactive Graphics for Cluster Analysis,” *Computing Science and Statistics*, 29, 48–51.